AD-A189 752 A ZONAL APPROACH FOR THE SOLUTION OF COUPLED EULER AND POTENTIAL SOLUTION..(U) INDIANA UNIV-PURDUE UNIV AT INDIANAPOLIS SCHOOL OF ENGINEERIN.. A ECER 01 FEB 88 1/1

UNCLASSIFIED AFOSR-87-0015 F/G 20/4 NL


1·C
1·1
1·25
1·4
1·6
1·8
2·0
2·2
2·8
3·15
3·5
4·0
4·5

DTIC FILE COPY

DTIC
ELECTE
FEB 25 1988
S D

(2)

AFOSR-TR- 88-0026

AD-A189 752



DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

88 2 24 151

PURDUE UNIVERSITY

School of Engineering and Technology

at Indianapolis

Indiana University—Purdue University at Indianapolis

(2)

Final Report

submitted to

Air Force Office
of Scientific Research
Bolling Air Force Base
Washington DC 20332

for
Instrumentation Request for
A Zonal Approach for the Solution of
Coupled Euler and Potential Solutions of
Flows with Complex Geometries

for the period of

July 1, 1986 - June 1, 1987

by

Akin Ecer, Principal Investigator
Division of Engineering P.O. Box 647
Pudue University at Indianapolis
1201 E. 38th Street
Indianapolis, In 46223

DTIC
TE
FEB 25 1988
D
H

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

Table of Contents

Summary of the Progress.....1

1. Objectives.....1

2. Summary of the Development Effort.....1

3. Publications.....2

Details of the Performed Work.....4

1. Objectives.....4

2. Solution Scheme.....4

3. Computer System.....5

References.....7

QUALITY INSPECTED 2

Accession For
NTIS GRA&I
DTIC TAB
Unannounced
Justification
By
Distribution/
Availability Codes
Dist
A-1

Summary of the Progress

1. Objectives

The main objective of the ongoing research program with AFOSR is to develop a block-structured solution scheme for Euler equations [1-5]. The methodology is aimed at providing computational techniques for solving three-dimensional, transonic flow problems around complex geometries. Also, we are interested in treating such large problems using large computers with vectorizing and parallel processing capabilities.

Our past work has been implemented on main frames such as IBM, Cray and CYBER computers. It was based on storing a large problem in terms of many smaller regions (blocks) on available disc storage. It was assumed that the main memory is not large enough to store the entire problem. In these applications, portions of this data was brought into a main memory which was shared by one or a few processors. Each processor operated on its share of data (a single block). The instrumentation was requested to implement the same scheme on a computer with distributed memory and many processors. In this application the problem is again divided into many blocks. However, each block is stored in the distributed memory of an individual processor and computed seperately. Only the boundary conditions between the neighboring blocks are communicated between the blocks.

2. Summary of the Development Effort

The hardware (Intel IPSC hypercube) was purchased and installed. It was linked to the other computers for data transfer. A version of our Euler solver was developed to run on a distributed memory machine. Up to date,

two basic test cases were computed [5], although the activity is continuing at a part of our AFOSR research program.

The flow field around a NACA0012 profile at M_∞ = 0.80 was solved by dividing the flow field into: 4-blocks with 4000 grid points, 8-blocks with 8000 grid points and 16-blocks with 16000 grid points. It was demonstrated that by using 4, 8 and 16 processors for each of the above problems one can obtain the same computation time.

The second example was to model a 16-block representation of the flow around a wing-body such that 16 processors are combined to each other similar to the way blocks are connected. This set-up provides an efficient way of representing a problem with a complex block structure with minimum data transfer. In this case the data transfer again occurs between the neighboring blocks.

The work is ongoing to demonstrate:

- the need for increasing the number of processors for solving large problems as well as their speeds.
- the need for using many loosely coupled computers for solving complex geometric problems so that all computer resources (memory, CPU, vectorizing capabilities disk I/O etc.) can be simultaneously utilized.

3. Publications

Two papers were presented describing this activity:

1. Ecer, A. and Spyropoulos, J. T., Parallel Processing Schemes for the Block-Structured Solution of Transonic Flows, 1987 Summer Computer Simulation Conference, July 1987, Montreal, Canada.

2. Ecer, A. Spyropoulos, J. T. and M. E. Sims, Parallel Processing Techniques for the Solution of Euler Equations, AIAA-88-0620, AIAA Aerospace Summer Meeting, Reno, Nevada, January 1988.

Also two presentations were made at two conferences. The written versions of these presentations are being prepared.

1. Ecer, A., Spyropoulos J. T., and M. E. Sims, The solution of Euler Equations on a Hypercube, 3rd Conference on Hypercube Computers and Applications, Pasadena, California, January 19 - 12, 1988.
2. Ecer, A., Spyropoulos, J. T., Block-Structured Solution of Euler and Navier-Stokes Equations. 2nd International Symposium on Domain Decomposition Methods, Los Angeles, California, January 14 - 16, 1988.

Details of the Performed Work

1. Objectives

The objectives of the ongoing research were:

i) To develop a finited element mesh generation scheme that will allow optimum grid configurations to be established for different flow zones [1],

ii) To develop a "zonal" solution scheme for three-dimensional transonic flows that will allow independent grids to be generated in each flow zone and produce an iterative solution, coupling the local solution of each block, [2, 3].

iii) To implement the "zonal" solution scheme on computers with parallel processing capabilities [4, 5].

This last task was completed first on IBM 3090, Cray XMP and CYBER 201 computers [4]. The present attempt was aimed at working with a computer with many processors with distributed memory and evaluate the requirements for computing large problems [5].

2. Solution Scheme

The solution procedure involves a block-structures relaxation scheme where two basic computational tasks exist:

. the formulation of residual vectors and

. the solution of a set of implicit equations.

In the developed scheme, the problem is to define the complex flow field in terms of a series of simpler blocks. The grids are generated for each of the blocks and stored seperately on the memory of individual processors. The residuals are calculated for each block. If each processor

has sufficient memory much of the information for computing residuals and which is related to the geometry does not change over the iterations. Such information is stored rather than recalculated. The equations are then solved implicitly for each block separately. The data transfer involves only the exchange of boundary conditions between the neighboring blocks [5].

3. Computer System

IPSC (Intel Personal Super Computer) system involves hardware and sortware components necessary to work in a parallel processing environment. Our system is built on a cube where a basic cube consists of 16 processors (nodes). These nodes are connected to the neighboring nodes by 32 I/O channels as shown in Figure 1. The system can be expanded to 4 cubes or 128 processors. Each processor includes 4.5 m - bytes of memory, where the data transfer is at a rate of 10Mbit/second on the I/O channels. The cube manager itself is a 9Mbytes of memory.



Figure 1. Cube topology for the 16 node system.

Our solution scheme is very suitable to be executed using the above

system. The flow field can be divided upto 16 blocks and each block would be analyzed on a single processor. The data transfer between the neighboring blocks is in terms of boundary conditions (mass and entropy fluxes calculated through the iterations). The objective is to ensure that the conservation of mass and entropy is satisfied between the blocks. Since there is an individual data channel between the neighboring blocks there to provide such information, considerable improvement is obtained. In solving large problems, data transfer plays an important role in terms of efficiency. Compared to a single processor with a single I/O channel, the proposed system may provide 16 times speed improvement in terms of computational speed as well as 32 times speed improvement in terms of data flow. Also because of our computational scheme the data transfer between the neighboring blocks solve only a small data set (boundary conditions).

The availability of large real memory for each processor enables elimination of many computations which are represented through the iterations. The performance figures on this machine as related to main frame computers will be presented in coming papers.

References

1. Ecer, A., Spyropoulos, J. T. and Maul, J., "A Block-Structured Finite Element Grid Generation Scheme for the Analysis of Three-dimensional Transonic Flows", AIAA Journal, Vol. 23, No. 10, October 1985.

2. Ecer, A. and Spyropoulos, J. T., "Block-Structured Solution Scheme for Analyzing Three-Dimensional Transonic Potential Flows", AIAA Journal, Vol. 25, No. 10, October 1987.

3. Ecer, A., Spyropoulos, J. T. and Reubek, V., "Block-Structured Solution of Euler Equations for Transonic Flows", AIAA Journal, Vol. 25, No. 12, December 1987.

4. Ecer, A., Spyropoulos, J. T. and Akatar O. "Block-Structured Solution of Euler Equations", AIAA-87-0351, AIAA 25 Aerospace Sciences meeting, Reno, Nevada, January 1987.

5. Ecer, A., Spyropoulos, J. T. and M. E. Sims, "Parallel Processing Techniques for the Solution of Euler Equations", AIAA-88-0620, AIAA Aerospaces Sciences Meeting, Reno, Nevada, January 1988.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED	1b. RESTRICTIVE MARKINGS
2a. SECURITY CLASSIFICATION AUTHORITY	3. DISTRIBUTION / AVAILABILITY OF REPORT APPROVED FOR PUBLIC RELEASE DISTRIBUTION IS UNLIMITED
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE	
4. PERFORMING ORGANIZATION REPORT NUMBER(S)	5. MONITORING ORGANIZATION REPORT NUMBER(S) AFOSR-TR. 88-0026
6a. NAME OF PERFORMING ORGANIZATION PURDUE UNIV SCL OF ENGR AT INDIANAPOLIS 6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION AFOSR/NA
6c. ADDRESS (City, State, and ZIP Code) 1201 E 38 ST, PO BOX 647 INDIANAPOLIS INDIANA 46223	7b. ADDRESS (City, State, and ZIP Code) BUILDING 410 BOLLING AFB, DC 20332-6448
8a. NAME OF FUNDING / SPONSORING ORGANIZATION AFOSR 8b. OFFICE SYMBOL (If applicable) NA	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER AFOSR-87-0015
8c. ADDRESS (City, State, and ZIP Code) BUILDING 410 BOLLING AFB, DC 20332-6448	10. SOURCE OF FUNDING NUMBERS PROGRAM ELEMENT NO. 61102F PROJECT NO. 2917 TASK NO. A1 WORK UNIT ACCESSION NO.
11. TITLE (Include Security Classification) (U) A ZONAL APPROACH FOR THE SOLUTION OF COUPLED EULER AND POTENTIAL SOLUTIONS OF FLOWS WITH COMPLEX GEOMETRIES	
12. PERSONAL AUTHOR(S) AKIN ECER	
13a. TYPE OF REPORT FINAL REPORT 13b. TIME COVERED FROM 7/1/86 TO 6/31/87	14. DATE OF REPORT (Year, Month, Day) 2/1/88 15. PAGE COUNT 10
16. SUPPLEMENTARY NOTATION	
17. COSATI CODES FIELD / GROUP / SUB-GROUP	18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) TRANSONIC FLOWS, ZONAL METHODS, EULER EQUATIONS

19. ABSTRACT (Continue on reverse if necessary and identify by block number)

A block structured solution scheme which was developed for the solution of three dimensional euler equations was implemented on the Intel Hypercube computer. By using this scheme, a complex flow problem is divided into a series of blocks. Each block is stored on an individual processor of the system and solved. The boundary conditions between the neighboring blocks are iteratively calculated. The communication of the boundary conditions between neighboring blocks occur on individual I/O channels.

20. DISTRIBUTION / AVAILABILITY OF ABSTRACT ☐ UNCLASSIFIED/UNLIMITED ☒ SAME AS RPT ☐ DTIC USERS	21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED
22a. NAME OF RESPONSIBLE INDIVIDUAL JAMES M MCMICHAEL	22b. TELEPHONE (Include Area Code) 202-767-4935 22c. OFFICE SYMBOL AFOSR/NA

DD FORM 1473, 84 MAR 83 APR edition may be used until exhausted. All other editions are obsolete.

SECURITY CLASSIFICATION OF THIS PAGE

UNCLASSIFIED

END

DATE

FILMED

APRIL

1988

DTIC